ELSEVIER

Molecular Brain Research 57 (1998) 330–331

MOLECULAR BRAIN RESEARCH

Author Index

Adamson, S.L., see Tai, T.-C. (57) 161

Bales, K.R., Du, Y., Dodel, R.C., Yan, G.-M., Hamilton-Byrd, E. and Paul, S.M.
The NF-κB/Rel family of proteins mediates Aβ-induced neurotoxicity and glial activation (57) 63
Bartlett, W.P., see Li, X.-s. (57) 92
Basheer, R., Magner, M., McCarley, R.W. and Shiromani, P.J.
REM sleep deprivation increases the levels of tyrosine hydroxylase and norepinephrine transporter mRNA in the locus coeruleus (57) 235
Betancur, C., see Walker, N. (57) 193
Bluethmann, H., see Carrasco, J. (57) 221
Bokrand, Y., see Peris, J. (57) 310
Bova, R., Micheli, M.R., Qualadrucci, P. and Zucconi, G.G.
BDNF and *trk*B mRNAs oscillate in rat brain during the light–dark cycle (57) 321
Bruno, J.P., see Soghomonian, J.-J. (57) 155

Cañete-Soler, R., see Schwartz, M.L. (57) 21
Caput, D., see Walker, N. (57) 193
Carrasco, J., Hernandez, J., Bluethmann, H. and Hidalgo, J.
Interleukin-6 and tumor necrosis factor-α type 1 receptor deficient mice reveal a role of IL-6 and TNF-α on brain metallothionein-I and -III regulation (57) 221
Caruncho, H.J., Rodríguez-Pallares, J., Guerra, M.J. and Labandeira-García, J.L.
Mature intrastriatal striatal grafts revert the changes in the expression of pallidal and thalamic α1, α2 and β2/3 $GABA_A$ receptor subunit induced by ibotenic acid lesions in the rat striatum (57) 301
Cattini, P., see Grothe, C. (57) 97
Chang, H.-M., Wu, Y.-M., Chang, Y.-C., Hsu, Y.-C., Hsu, H.-Y., Chen, Y.-C. and Chow, W.-Y.
Molecular and electrophysiological characterizations of fGluR3α, an ionotropic glutamate receptor subunit of a teleost fish (57) 211
Chang, Y.-C., see Chang, H.-M. (57) 211
Chen, Y.-C., see Chang, H.-M. (57) 211
Chiasson, B.J., Hong, M.G.L. and Robertson, H.A.
Intra-amygdala infusion of an end-capped antisense oligodeoxynucleotide to c-*fos* accelerates amygdala kindling (57) 248
Chow, W.-Y., see Chang, H.-M. (57) 211
Copeland, T., see Kamata, T. (57) 201

Daar, I.O., see Kamata, T. (57) 201
Dagø, L., see Olesen, O.F. (57) 266
Detheux, M., see Pesini, P. (57) 281
Diaz Brinton, R., Yamazaki, R., Gonzalez, C.M., O'Neill, K. and Schreiber, S.S.
Vasopressin-induction of the immediate early gene, *NGFI-A*, in cultured hippocampal glial cells (57) 73
Dichter, M.A., see Kendrick, S.J. (57) 10
Dodel, R.C., see Bales, K.R. (57) 63
Dorst, A., see Gallinat, S. (57) 111
Du, Y., see Bales, K.R. (57) 63
Duncan, M.J.
Photoperiodic regulation of hypothalamic neuropeptide messenger RNA expression: effect of pinealectomy and neuroanatomical location (57) 142

Emson, P., see Phillips, T. (57) 132

Faull, R., see Phillips, T. (57) 132
Ferrara, P., see Walker, N. (57) 193
Fluharty, S.J., see Yee, D.K. (57) 325
Fournier, J., see Walker, N. (57) 193
Fujisawa, H., see Yoshida, K. (57) 241
Fukuuchi, Y., see Ito, D. (57) 1

Gallinat, S., Yu, M., Dorst, A., Unger, T. and Herdegen, T.
Sciatic nerve transection evokes lasting up-regulation of angiotensin AT_2 and AT_1 receptor mRNA in adult rat dorsal root ganglia and sciatic nerves (57) 111
Garyfallou, V.T., see Urbanski, H.F. (57) 86
Gill, J.S., Schenone, A.E., Podratz, J.L. and Windebank, A.J.
Autocrine regulation of neurite outgrowth from PC12 cells by nerve growth factor (57) 123
Goldin, M., see Rehavi, M. (57) 31
Gonzalez, C.M., see Diaz Brinton, R. (57) 73
Grahame-Smith, D.G., see Zetterström, T.S.C. (57) 106
Grothe, C., Meisinger, C., Holzschuh, J., Wewetzer, K. and Cattini, P.
Over-expression of the 18 kD and 21/23 kD fibroblast growth factor-2 isoforms in PC12 cells and Schwann cells results in altered cell morphology and growth (57) 97
Guerra, M.J., see Caruncho, H.J. (57) 301

Hagiwara, M., see Yoshida, K. (57) 241
Hamilton-Byrd, E., see Bales, K.R. (57) 63
Heavens, R.P., see Oliver, K.R. (57) 149
Heerding, J.N., see Yee, D.K. (57) 325
Herdegen, T., see Gallinat, S. (57) 111
Hernandez, J., see Carrasco, J. (57) 221
Hidalgo, J., see Carrasco, J. (57) 221
Hill, R.G., see Oliver, K.R. (57) 149
Hökfelt, T., see Pesini, P. (57) 281
Holzschuh, J., see Grothe, C. (57) 97
Hong, M.G.L., see Chiasson, B.J. (57) 248
Hsu, H.-Y., see Chang, H.-M. (57) 211
Hsu, Y.-C., see Chang, H.-M. (57) 211
Hua, Y., see Schwartz, M.L. (57) 21

Imai, Y., see Ito, D. (57) 1
Imaki, J., see Yoshida, K. (57) 241
Ito, D., Imai, Y., Ohsawa, K., Nakajima, K., Fukuuchi, Y. and Kohsaka, S.
Microglia-specific localisation of a novel calcium binding protein, Iba1 (57) 1
Iwakabe, H., see Yoshida, K. (57) 241

Jung, B.J., see Peris, J. (57) 310

Kachidian, P., see Salin, P. (57) 257
Kamata, T., Daar, I.O., Subleski, M., Copeland, T., Kung, H.-f. and Xu, R.-H.
Xenopus CRMP-2 is an early response gene to neural induction (57) 201
Kendrick, S.J., Dichter, M.A. and Wilcox, K.S.
Characterization of desensitization in recombinant *N*-methyl-D-aspartate receptors: comparison with native receptors in cultured hippocampal neurons (57) 10
Kohama, S.G., see Urbanski, H.F. (57) 86
Kohsaka, S., see Ito, D. (57) 1
Krichavsky, M.Z., see Yee, D.K. (57) 325
Kung, H.-f., see Kamata, T. (57) 201

Labandeira-García, J.L., see Caruncho, H.J. (57) 301
Laprade, N., see Soghomonian, J.-J. (57) 155
Lee, S. and Rivier, C.
Interaction between corticotropin-releasing factor and nitric oxide in mediating the response of the rat hypothalamus to immune and non-immune stimuli (57) 54
Leloup, C., Orosco, M., Serradas, P., Nicolaïdis, S. and Pénicaud, L.
Specific inhibition of GLUT2 in arcuate nucleus by antisense oligonucleotides suppresses nervous control of insulin secretion (57) 275

Lepee-Lorgeoux, I., see Walker, N. (57) 193
Li, X.-s., Williams, M. and Bartlett, W.P.
Induction of IGF-1 mRNA expression following traumatic injury to the postnatal brain (57) 92
Lye, S.J., see Tai, T.-C. (57) 161

Magner, M., see Basheer, R. (57) 235
Makoff, A., see Phillips, T. (57) 132
Malakhova, O., see Peris, J. (57) 310
Matsuda, A., see Yoshida, K. (57) 241
Matsuda, H., see Yoshida, K. (57) 241
Matsuoka, T., see Nishizaki, T. (57) 173
McCarley, R.W., see Basheer, R. (57) 235
Meisinger, C., see Grothe, C. (57) 97
Micheli, M.R., see Bova, R. (57) 321
Mikkelsen, J.D., see Olesen, O.F. (57) 266
Mimmack, M., see Phillips, T. (57) 132
Molteni, R., see Riva, M.A. (57) 38
Murrison, E., see Phillips, T. (57) 132

Nakajima, D., see Ohara, O. (57) 181
Nakajima, K., see Ito, D. (57) 1
Nakanisi, S., see Yoshida, K. (57) 241
Nakayama, M., see Ohara, O. (57) 181
Nicolaïdis, S., see Leloup, C. (57) 275
Nishizaki, T., Matsuoka, T., Nomura, T. and Sumikawa, K.
Modulation of ACh receptor currents by arachidonic acid (57) 173
Nomura, T., see Nishizaki, T. (57) 173

Ohara, O., Ohara, R., Yamakawa, H., Nakajima, D. and Nakayama, M.
Characterization of a new β-spectrin gene which is predominantly expressed in brain (57) 181
Ohara, R., see Ohara, O. (57) 181
Ohsawa, K., see Ito, D. (57) 1
Okamoto, Y., see Yoshida, K. (57) 241
Olesen, O.F., Dagø, L. and Mikkelsen, J.D.
Amyloid β neurotoxicity in the cholinergic but not in the serotonergic phenotype of RN46A cells (57) 266
Oliver, K.R., Wainwright, A., Heavens, R.P., Hill, R.G. and Sirinathsinghji, D.J.S.
Distribution of novel $CGRP_1$ receptor and adrenomedullin receptor mRNAs in the rat central nervous system (57) 149
O'Neill, K., see Diaz Brinton, R. (57) 73
Orosco, M., see Leloup, C. (57) 275

Parmentier, M., see Pesini, P. (57) 281
Paul, S.M., see Bales, K.R. (57) 63
Pei, Q., see Zetterström, T.S.C. (57) 106
Pénicaud, L., see Leloup, C. (57) 275
Peris, J., Jung, B.J., Resnick, A., Walker, P., Malakhova, O., Bokrand, Y. and Wielbo, D.
Antisense inhibition of striatal $GABA_A$ receptor proteins decreases GABA-stimulated chloride uptake and increases cocaine sensitivity in rats (57) 310
Pesini, P., Detheux, M., Parmentier, M. and Hökfelt, T.
Distribution of a glucocorticoid-induced orphan receptor (JP05) mRNA in the central nervous system of the mouse (57) 281
Phillips, T., Makoff, A., Murrison, E., Mimmack, M., Waldvogel, H., Faull, R., Rees, S. and Emson, P.
Immunohistochemical localisation of mGluR7 protein in the rodent and human cerebellar cortex using subtype specific antibodies (57) 132
Podratz, J.L., see Gill, J.S. (57) 123

Qualadrucci, P., see Bova, R. (57) 321

Racagni, G., see Riva, M.A. (57) 38
Rees, S., see Phillips, T. (57) 132
Rehavi, M., Goldin, M., Roz, N. and Weizman, A.
Regulation of rat brain vesicular monoamine transporter by chronic treatment with ovarian hormones (57) 31
Resnick, A., see Peris, J. (57) 310
Riva, M.A., Molteni, R. and Racagni, G.
Differential regulation of FGF-2 and FGFR-1 in rat cortical astrocytes by dexamethasone and isoproterenol (57) 38
Rivier, C., see Lee, S. (57) 54
Robertson, H.A., see Chiasson, B.J. (57) 248
Rodrigues, S.M., see Urbanski, H.F. (57) 86
Rodríguez-Pallares, J., see Caruncho, H.J. (57) 301
Rostene, W., see Walker, N. (57) 193
Roz, N., see Rehavi, M. (57) 31

Salin, P. and Kachidian, P.
Thalamo-striatal deafferentation affects preproenkephalin but not preprotachykinin gene expression in the rat striatum (57) 257
Sandstrom, M., see Soghomonian, J.-J. (57) 155
Schenone, A.E., see Gill, J.S. (57) 123
Schlaepfer, W.W., see Schwartz, M.L. (57) 21
Schreiber, S.S., see Diaz Brinton, R. (57) 73
Schwartz, M.L., Hua, Y., Cañete-Soler, R. and Schlaepfer, W.W.
Characterization of the mouse neurofilament light (NF-L) gene promoter by in vitro transcription (57) 21
Serradas, P., see Leloup, C. (57) 275
Shiromani, P.J., see Basheer, R. (57) 235
Sirinathsinghji, D.J.S., see Oliver, K.R. (57) 149
Soghomonian, J.-J., Laprade, N., Sandstrom, M. and Bruno, J.P.
c-*fos* gene expression is induced in a subpopulation of striatal neurons following a single administration of a dopamine D1-receptor agonist in adult rats lesioned with 6-OHDA as neonates (57) 155
Subleski, M., see Kamata, T. (57) 201
Sumikawa, K., see Nishizaki, T. (57) 173

Tai, T.-C., Lye, S.J. and Adamson, S.L.
Expression of prostaglandin E_2 receptor subtypes in the developing sheep brainstem (57) 161
Takagi, T., see Yamashita, T. (57) 167
Tamatani, M., see Yamashita, T. (57) 167
Taniguchi, M., see Yamashita, T. (57) 167
Tohyama, M., see Yamashita, T. (57) 167

Unger, T., see Gallinat, S. (57) 111
Urbanski, H.F., Rodrigues, S.M., Garyfallou, V.T. and Kohama, S.G.
Regional distribution of glutamic acid decarboxylase (GAD_{65} and GAD_{67}) mRNA in the hypothalamus of male rhesus macaques before and after puberty (57) 86

Wainwright, A., see Oliver, K.R. (57) 149
Waldvogel, H., see Phillips, T. (57) 132
Walker, N., Lepee-Lorgeoux, I., Fournier, J., Betancur, C., Rostene, W., Ferrara, P. and Caput, D.
Tissue distribution and cellular localization of the levocabastine-sensitive neurotensin receptor mRNA in adult rat brain (57) 193
Walker, P., see Peris, J. (57) 310
Wang, J.Q.
Regulation of immediate early gene c-*fos* and *zif/268* mRNA expression in rat striatum by metabotropic glutamate receptor (57) 46
Weizman, A., see Rehavi, M. (57) 31
Wewetzer, K., see Grothe, C. (57) 97
Wielbo, D., see Peris, J. (57) 310
Wilcox, K.S., see Kendrick, S.J. (57) 10
Williams, M., see Li, X.-s. (57) 92
Windebank, A.J., see Gill, J.S. (57) 123
Wu, Y.-M., see Chang, H.-M. (57) 211

Xu, R.-H., see Kamata, T. (57) 201

Yamakawa, H., see Ohara, O. (57) 181
Yamashita, T., Tamatani, M., Taniguchi, M., Takagi, T., Yoshimine, T. and Tohyama, M.
Regulation of Na^+/*myo*-inositol cotransporter gene expression in hyperglycemic rat hippocampus (57) 167
Yamazaki, R., see Diaz Brinton, R. (57) 73
Yan, G.-M., see Bales, K.R. (57) 63
Yee, D.K., Heerding, J.N., Krichavsky, M.Z. and Fluharty, S.J.
Role of the amino terminus in ligand binding for the angiotensin II type 2 receptor (57) 325
Yoshida, K., Imaki, J., Okamoto, Y., Iwakabe, H., Fujisawa, H., Matsuda, A., Nakanisi, S., Matsuda, H. and Hagiwara, M.
CREB-induced transcriptional activation depends on mGluR6 in rod bipolar cells (57) 241
Yoshimine, T., see Yamashita, T. (57) 167
Yu, M., see Gallinat, S. (57) 111

Zetterström, T.S.C., Pei, Q. and Grahame-Smith, D.G.
Repeated electroconvulsive shock extends the duration of enhanced gene expression for BDNF in rat brain compared with a single administration (57) 106
Zucconi, G.G., see Bova, R. (57) 321